certbot-dns-ovh Documentation Release 0

Certbot Project

CONTENTS:

1	Named Arguments	3
2	Credentials	5
3	Examples	7
4	API Documentation	9
5	Indices and tables	11
Рy	ython Module Index	13
In	ndex	15

The dns_ovh plugin automates the process of completing a dns-01 challenge (DNS01) by creating, and subsequently removing, TXT records using the OVH API.

Note: The plugin is not installed by default. It can be installed by heading to certbot.eff.org, choosing your system and selecting the Wildcard tab.

CONTENTS: 1

2 CONTENTS:

ONE

NAMED ARGUMENTS

- --dns-ovh-credentials OVH credentials INI file. (Required)
- --dns-ovh-propagation The number of seconds to wait for DNS to propagate before asking the ACME server to verify the DNS record. (Default: 30)

TWO

CREDENTIALS

Use of this plugin requires a configuration file containing OVH API credentials for an account with the following access rules (allowing all domains):

- GET /domain/zone/*
- PUT /domain/zone/*
- POST /domain/zone/*
- DELETE /domain/zone/*

Alternatively, to allow a single domain only, the following access rules apply:

- GET /domain/zone/
- GET /domain/zone/<REQUIRED_DOMAIN>/*
- PUT /domain/zone/<REQUIRED_DOMAIN>/*
- POST /domain/zone/<REQUIRED_DOMAIN>/*
- DELETE /domain/zone/<REQUIRED_DOMAIN>/*

These credentials can be obtained at the following links:

- OVH Europe (endpoint: ovh-eu)
- OVH North America (endpoint: ovh-ca)

Listing 1: Example credentials file:

The path to this file can be provided interactively or using the --dns-ovh-credentials command-line argument. Certbot records the path to this file for use during renewal, but does not store the file's contents.

Caution: You should protect these API credentials as you would the password to your OVH account. Users who can read this file can use these credentials to issue arbitrary API calls on your behalf. Users who can cause Certbot to run using these credentials can complete a dns-01 challenge to acquire new certificates or revoke existing certificates for associated domains, even if those domains aren't being managed by this server.

Certbot will emit a warning if it detects that the credentials file can be accessed by other users on your system. The warning reads "Unsafe permissions on credentials configuration file", followed by the path to the credentials file. This

warning will be emitted each time Certbot uses the credentials file, including for renewal, and cannot be silenced except by addressing the issue (e.g., by using a command like chmod 600 to restrict access to the file).

THREE

EXAMPLES

Listing 1: To acquire a certificate for example.com

```
certbot certonly \
   --dns-ovh \
   --dns-ovh-credentials ~/.secrets/certbot/ovh.ini \
   -d example.com
```

Listing 2: To acquire a single certificate for both example.com and www.example.com

```
certbot certonly \
  --dns-ovh \
  --dns-ovh-credentials ~/.secrets/certbot/ovh.ini \
  -d example.com \
  -d www.example.com
```

Listing 3: To acquire a certificate for ${\tt example.com},$ waiting 60 seconds for DNS propagation

```
certbot certonly \
  --dns-ovh \
  --dns-ovh-credentials ~/.secrets/certbot/ovh.ini \
  --dns-ovh-propagation-seconds 60 \
  -d example.com
```

СНАРТЕЯ	
FOUF	

API DOCUMENTATION

Certbot plugins implement the Certbot plugins API, and do not otherwise have an external API.

FIVE

INDICES AND TABLES

- genindex
- modindex
- search

PYTHON MODULE INDEX

C certbot_dns_ovh, 1

14 Python Module Index

INDEX

```
C
certbot_dns_ovh
    module, 1

M
module
    certbot_dns_ovh, 1
```